

SEQUENCE LISTING

5 <110> Degussa AG

10 <120> Process for the fermentative preparation of L-amino acids
using strains of the Enterobacteriaceae family

<130> 020491 BT

15 <160> 12

<170> PatentIn version 3.1

20 <210> 1
<211> 1548
<212> DNA
<213> Escherichia coli

25 <220>
<221> DNA
<222> (1)..(1548)
<223>

30 <220>
<221> CDS
<222> (527)..(952)
<223> yjgF-Orf

35 <400> 1

40 tcgcgatctg gtactgtaag gggaaataga gatgacacac gataataaat tgcaggttga 60
agctattaaa cgcggcacgg taattgacca tatccccgcc cagatcgggtt ttaagctggt 120
gagtctgttc aagctgaccg aaacggatca gcgcatcacc attggtctga acctgccttc 180
45 tggcgagatg ggccgcaaag atctgatcaa aatcgaaaat acctttttga gtgaagatca 240
agtagatcaa ctggcattgt atgcgccgca agccacgggt aaccgtatcg acaactatga 300
50 agtggtgggt aaatcgcgcc caagtctgcc ggagcgcac gacaatgtgc tgggtctgccc 360
gaacagcaac tgtatcagcc atgccgaacc ggtttcatcc agctttgccg tgcgaaaacg 420
cgccaatgat atcgcgctca aatgcaaata ctgtgaaaaa gagttttccc ataatgtggt 480
55 gctggccaat taattgcggt tggttaataaa agtctggctc cctata atg agc cag 535
Met Ser Gln
1

60 act ttt tac cgc tgt aat aaa gga gaa atc atg agc aaa act atc gcg 583
Thr Phe Tyr Arg Cys Asn Lys Gly Glu Ile Met Ser Lys Thr Ile Ala
5 10 15

5 acg gaa aat gca ccg gca gct atc ggt cct tac gta cag ggc gtt gat 631
 Thr Glu Asn Ala Pro Ala Ala Ile Gly Pro Tyr Val Gln Gly Val Asp
 20 25 30 35
 ctg ggc aat atg atc atc acc tcc ggt cag atc ccg gta aat ccg aaa 679
 Leu Gly Asn Met Ile Ile Thr Ser Gly Gln Ile Pro Val Asn Pro Lys
 40 45 50
 10 acg ggc gaa gta ccg gca gac gtc gct gca cag gca cgt cag tcg ctg 727
 Thr Gly Glu Val Pro Ala Asp Val Ala Ala Gln Ala Arg Gln Ser Leu
 55 60 65
 15 gat aac gta aaa gcg atc gtc gaa gcc gct ggc ctg aaa gtg ggc gac 775
 Asp Asn Val Lys Ala Ile Val Glu Ala Ala Gly Leu Lys Val Gly Asp
 70 75 80
 20 atc gtt aaa act acc gtg ttt gta aaa gat ctg aac gac ttc gca acc 823
 Ile Val Lys Thr Thr Val Phe Val Lys Asp Leu Asn Asp Phe Ala Thr
 85 90 95
 gta aac gcc act tac gaa gcc ttc ttc acc gaa cac aac gcc acc ttc 871
 Val Asn Ala Thr Tyr Glu Ala Phe Phe Thr Glu His Asn Ala Thr Phe
 100 105 110 115
 25 ccg gca cgt tct tgc gtt gaa gtt gcc cgt ctg ccg aaa gac gtg aag 919
 Pro Ala Arg Ser Cys Val Glu Val Ala Arg Leu Pro Lys Asp Val Lys
 120 125 130
 30 att gag atc gaa gcg atc gct gtt cgt cgc taa tcttgatgga aatccgggct 972
 Ile Glu Ile Glu Ala Ile Ala Val Arg Arg
 135 140
 35 atcatgcccc gattaagtct gatgacaaac gcaaaatcgc ctgatgcgct acgcttatca 1032
 ggcctacgtg attcctgcaa tttattgaat ttgttgccg gataaggcat ttacgcogca 1092
 tccggcatga acaaaactca ctttgtctac aatctgaatc ggggctatcg tgcccagttt 1152
 40 attctttatt gccagccgta acgacggcta tagaaccctt tcaccaactg ggttaatgtc 1212
 atataccctg ccagaatcgc aaccagccac gggaaatagc ttaacggcag cgcttgtaat 1272
 45 tgcagataac tggccagcgg tgaaaacggc aatgcgatcc cgacaatcat cagatcacg 1332
 gtcgatgatca ttaacggcca cgatgcacag ctctgaataa acggcacacg gcgggtgcgg 1392
 atcatatgca caatcagcgt ttgcgacagt aagcccacca caaaccatcc cgactggaac 1452
 50 agcgtttgcg tttccggcgt gttggcatgg aatacccacc acatcaggca aaacgtcaaa 1512
 atatcgaaga tcgagctgat cggtcggaag aagatc 1548
 55 <210> 2
 <211> 141
 <212> PRT
 <213> Escherichia coli
 60 <400> 2
 Met Ser Gln Thr Phe Tyr Arg Cys Asn Lys Gly Glu Ile Met Ser Lys
 1 5 10 15
 Thr Ile Ala Thr Glu Asn Ala Pro Ala Ala Ile Gly Pro Tyr Val Gln

	20	25	30	
	Gly Val Asp Leu Gly Asn Met Ile Ile Thr Ser Gly Gln Ile Pro Val			
	35	40	45	
5	Asn Pro Lys Thr Gly Glu Val Pro Ala Asp Val Ala Ala Gln Ala Arg			
	50	55	60	
10	Gln Ser Leu Asp Asn Val Lys Ala Ile Val Glu Ala Ala Gly Leu Lys			
	65	70	75	80
	Val Gly Asp Ile Val Lys Thr Thr Val Phe Val Lys Asp Leu Asn Asp			
		85	90	95
15	Phe Ala Thr Val Asn Ala Thr Tyr Glu Ala Phe Phe Thr Glu His Asn			
		100	105	110
	Ala Thr Phe Pro Ala Arg Ser Cys Val Glu Val Ala Arg Leu Pro Lys			
		115	120	125
20	Asp Val Lys Ile Glu Ile Glu Ala Ile Ala Val Arg Arg			
	130	135	140	
25	<210> 3			
	<211> 20			
	<212> DNA			
	<213> Escherichia coli			
30	<220>			
	<221> Primer			
	<222> (1)..(20)			
	<223> yjgF-1			
35	<400> 3			
	tcgcgatctg gtactgtaag			20
40	<210> 4			
	<211> 20			
	<212> DNA			
	<213> Escherichia coli			
45	<220>			
	<221> Primer			
	<222> (1)..(20)			
	<223> yjgF-2			
50	<400> 4			
	ctgtacgtaa ggaccgatag			20
55	<210> 5			
	<211> 20			
	<212> DNA			
	<213> Escherichia coli			
60	<220>			
	<221> Primer			
	<222> (1)..(20)			
	<223> yjgF-3			

```

5  <400> 5
   cgctgttcgt cgctaattctt 20

   <210> 6
   <211> 20
   <212> DNA
10  <213> Escherichia coli

   <220>
   <221> Primer
   <222> (1)..(20)
15  <223> yjgF-4

   <400> 6
20  gatctttcttc ggaccgatca 20

   <210> 7
   <211> 622
   <212> DNA
25  <213> Escherichia coli

   <220>
   <221> prim_transcript
   <222> (1)..(622)
30  <223> PCR product yjgF5'

   <400> 7
35  tcgcgatctg gtactgtaag gggaaataga gatgacacac gataataaat tgcagggttga 60
   agctattaaa cgcgggcaccg taattgacca tatccccgcc cagatcggtt ttaagctggt 120
   gagtctgttc aagctgaccg aaacggatca gcgcattcacc attggtctga acctgccttc 180
40  tggcgagatg ggccgcaaag atctgatcaa aatcgaaaat acctttttga gtgaagatca 240
   agtagatcaa ctggcattgt atgcgcgcga agccacggtt aaccgtatcg acaactatga 300
   agtgggtgggt aaatcgcgcc caagtctgcc ggagcgcacg gacaatgtgc tgggtctgccc 360
45  gaacagcaac tgtatcagcc atgccgaacc ggtttcatcc agctttgccg tgcgaaaacg 420
   cgccaatgat atcgcgctca aatgcaaata ctgtgaaaaa gagttttccc ataattgtggt 480
50  gctggccaat taattgcggt tggttaataaa agtctggctc cctataatga gccagacttt 540
   ttaccgctgt aataaaggag aaatcatgag caaaactatc gcgacggaaa atgcaccggc 600
   agctatcggt ccttacgtac ag 622
55

   <210> 8
   <211> 612
   <212> DNA
60  <213> Escherichia coli

```

<220>
 <221> prim_transcript
 <222> (1)..(612)
 <223> PCR product yjgF3'

5

<400> 8
 cgctgttcgt cgctaattctt gatggaaatc cgggctatca tgcccggatt aagtctgatg 60
 10 acaaacgcaa aatcgcttga tgcgctacgc ttatcaggcc tacgtgattc ctgcaattta 120
 ttgaatttgt tggccggata aggcatttac gccgcacccg gcatgaacaa aactcacttt 180
 15 gtctacaatc tgaatcgggg ctatcgtgcc cagttttattc tttattgcca gccgtaacga 240
 cggctataga accctttcac caactgggtt aatgtcatat accctgccag aatcgcaacc 300
 agccacggga aatagcttaa cggcagcgcc tgtaattgca gataactggc cagcggtgaa 360
 20 aacggcaatg cgatcccgac aatcatcacg atcacgggtca tgatcattaa cggccacgat 420
 gcacagctct gaataaacgg cacacggcgg gtgcgggatca tatgcacaat cagcggttgc 480
 25 gacagtaagc ccaccacaaa ccatcccgac tggaacagcg tttgcgtttc cggcgtgttg 540
 gcatggaata cccaccacat caggcaaac gtcaaaatat cgaagatcga gctgatcggt 600
 ccgaagaaga tc 612

30

<210> 9
 <211> 1411
 <212> DNA
 <213> Artificial sequence

35

<220>
 <221> misc_feature
 <222> (1)..(1411)
 <223>

40

<220>
 <221> misc_feature
 <222> (1)..(57)
 <223> Technical DNA/residues of polylinker sequence

45

<220>
 <221> misc_feature
 <222> (58)..(671)
 <223> Part of the upstream region and part of the 5' region of the yjgF Orf

50

<220>
 <221> misc_feature
 <222> (672)..(737)
 <223> Technical DNA/residues of polylinker sequence

55

<220>
 <221> misc_feature
 <222> (672)..(737)
 <223> Technical DNA/residues of polylinker sequence

60

<220>
 <221> misc_feature

<222> (738)..(1359)

<223> Part of the 3' region of the yjgF Orf and part of the downstream region

5

<220>

<221> misc_feature

<222> (1359)..(1411)

10

<223> Technical DNA/residues of polylinker sequence

<400> 9

```

agcttggtac cgagctcgga tccactagta acggcccgcca gtgtgctgga attcgccctt      60
15 gatctttcttc ggaccgatca gctcgatctt cgatatctttg acgtttttgcc tgatgtggtg      120
   ggtattccat gccaacacgc cggaaacgca aacgctgttc cagtcgggat ggtttgtggt      180
   gggcttactg tcgcaaacgc tgattgtgca tatgatccgc acccgccgtg tgccgtttat      240
20 tcagagctgt gcatcgtggc cgttaatgat catgaccgtg atcgtgatga ttgtcgggat      300
   cgcattgccc ttttcaccgc tggccagtta tctgcaatta caggcgctgc cgttaagcta      360
25 tttcccgtgg ctggttgcca ttctggcagg gtatatgaca ttaacccagt tgggtgaaagg      420
   gttctatagc cgtcgttacg gctggcaata aagaataaac tgggcacgat agccccgatt      480
   cagattgtag acaaagttag ttttgttcat gccggatgcg gcgtaaatgc cttatccggc      540
30 caacaaattc aataaattgc aggaatcacg taggcctgat aagcgtagcg catcaggcga      600
   ttttgcgttt gtcacagac ttaatccggg catgatagcc cggatttcca tcaagattag      660
35 cgacgaacag cgaagggcga attctgcaga tctcggatcc actagtaacg gccgccagtg      720
   tgctggaatt cgcccttctg tacgtaagga ccgatagctg ccggtgcatt ttccgtcgcg      780
   atagttttgc tcatgatttc tcctttatta cagcggtaaa aagtctggct cattataggg      840
40 agccagactt ttattaccaa ccgcaattaa ttggccagca ccacattatg ggaaaactct      900
   ttttcacagt atttgcattt gagcgcgata tcattggcgc gttttogcac ggcaaagctg      960
45 gatgaaaccg gttcggcatg gctgatacag ttgctgttcg ggcagaccag cacattgtcg      1020
   atgcgctccg gcagacttgg gcgcgattta cccaccactt catagttgtc gatacggtta      1080
   accgtggctt ggggcgcata caatgccagt tgatctactt gatcttcaact caaaaaggta      1140
50 ttttcgattt tgatcagatc tttgcggccc atctcgccag aaggcagggt cagaccaatg      1200
   gtgatgcgct gatccgtttc ggtcagcttg aacagactca acagcttaaa accgatctgg      1260
55 gcggggatat ggtcaattac cgtgccgcgt ttaatagctt caacctgcaa tttattatcg      1320
   tgtgtcatct ctatttcccc ttacagtacc agatcgcgaa agggcgaatt ctgcagatat      1380
   ccatcacact ggcgcccgct cgagcatgca t                                     1411
60
<210> 10
<211> 177
<212> DNA

```

```

<213>  Artificial sequence

5  <220>
    <221>  misc_feature
    <222>  (1)..(177)
    <223>

10 <220>
    <221>  misc_feature
    <222>  (1)..(3)
    <223>  Start codon of the delta yjgF Orf

15 <220>
    <221>  misc_feature
    <222>  (1)..(99)
    <223>  5' region of the delta yjgF Orfs

20 <220>
    <221>  misc_feature
    <222>  (100)..(162)
    <223>  Technical DNA/residues of polylinker sequence

25 <220>
    <221>  misc_feature
    <222>  (163)..(174)
    <223>  3' region of the delta yjgF Orf

30 <220>
    <221>  misc_feature
    <222>  (175)..(177)
    <223>  Stop codon of the delta yjgF Orf

35 <220>
    <221>  misc_feature
    <222>  (175)..(177)
    <223>  Stop codon of the delta yjgF Orf

40 <400>  10
    atgagccaga ctttttaccg ctgtaataaa ggagaaatca tgagcaaaac tatcgcgacg      60
    gaaaatgcac cggcagctat cggtccttac gtacagaagg gcgaattcca gcacactggc      120
    ggccggttact agtggatccg agatctgcag aattcgccct tcgctgttcg tcgctaa      177

45 <210>  11
    <211>  387
    <212>  DNA
    <213>  Salmonella typhimurium

50 <220>
    <221>  CDS
    <222>  (1)..(387)
    <223>  yjgF Orf

55 <400>  11
    atg agc aaa act att gcg acg gaa aat gca cca gca gca atc ggc cca      48
    Met Ser Lys Thr Ile Ala Thr Glu Asn Ala Pro Ala Ala Ile Gly Pro
    1           5           10           15

```

	tac gta cag ggc gtt gac ctg ggt agc atg gta atc act tcc ggt cag	96
	Tyr Val Gln Gly Val Asp Leu Gly Ser Met Val Ile Thr Ser Gly Gln	
	20 25 30	
5	atc ccg gtc gat ccg aaa acc ggt gcc gta gcg gaa gac gta tcc gct	144
	Ile Pro Val Asp Pro Lys Thr Gly Ala Val Ala Glu Asp Val Ser Ala	
	35 40 45	
10	cag gca cgt cag tcg ctg gaa aac gtt aaa gct atc gtg gaa gcc gct	192
	Gln Ala Arg Gln Ser Leu Glu Asn Val Lys Ala Ile Val Glu Ala Ala	
	50 55 60	
15	ggc ctg aaa gta ggc gac att gtg aaa acg acc gta ttc gtg aaa gac	240
	Gly Leu Lys Val Gly Asp Ile Val Lys Thr Thr Val Phe Val Lys Asp	
	65 70 75 80	
20	ctg aac gat ttc gcg acc gtc aac gcc acc tac gaa gcc ttc ttc acc	288
	Leu Asn Asp Phe Ala Thr Val Asn Ala Thr Tyr Glu Ala Phe Phe Thr	
	85 90 95	
25	gag cac aac gcc acc ttc ccg gcg cgt tcc tgc gtg gaa gtt gcc cgt	336
	Glu His Asn Ala Thr Phe Pro Ala Arg Ser Cys Val Glu Val Ala Arg	
	100 105 110	
30	ctg ccg aaa gac gtg aaa att gag att gaa gcg atc gct gtt cgt cgc	384
	Leu Pro Lys Asp Val Lys Ile Glu Ile Glu Ala Ile Ala Val Arg Arg	
	115 120 125	
35	taa	387
	<210> 12	
	<211> 128	
	<212> PRT	
	<213> Salmonella typhimurium	
40	<400> 12	
	Met Ser Lys Thr Ile Ala Thr Glu Asn Ala Pro Ala Ala Ile Gly Pro	
	1 5 10 15	
	Tyr Val Gln Gly Val Asp Leu Gly Ser Met Val Ile Thr Ser Gly Gln	
	20 25 30	
45	Ile Pro Val Asp Pro Lys Thr Gly Ala Val Ala Glu Asp Val Ser Ala	
	35 40 45	
50	Gln Ala Arg Gln Ser Leu Glu Asn Val Lys Ala Ile Val Glu Ala Ala	
	50 55 60	
	Gly Leu Lys Val Gly Asp Ile Val Lys Thr Thr Val Phe Val Lys Asp	
	65 70 75 80	
55	Leu Asn Asp Phe Ala Thr Val Asn Ala Thr Tyr Glu Ala Phe Phe Thr	
	85 90 95	
	Glu His Asn Ala Thr Phe Pro Ala Arg Ser Cys Val Glu Val Ala Arg	
	100 105 110	
60	Leu Pro Lys Asp Val Lys Ile Glu Ile Glu Ala Ile Ala Val Arg Arg	
	115 120 125	